

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	360	73/849.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:54
L2	96	73/852.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:54
L3	55	73/853.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:54
L4	296	73/856.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:55
L5	106	73/855.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:55
L6	539	((rotat\$4 pivot\$4 semicirc\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform base))) and ((aperture orifice hole opening) near4 (beam bar block platform base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 12:20
L7	363	6 and (( \$2shaped i?shaped) near6 (beam bar block platform base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:28
L8	324	7 and ((upper two pair second lower bottom plural\$4) near4 (beam bar block platform base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 12:21
L9	329	7 and ((upper two pair second lower top bottom plural\$4) near4 (beam bar block platform base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:28
L10	138	6 and (( \$2shaped i?shaped) near6 (frame stand))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:28
L11	130	10 and ((upper two pair second lower top bottom plural\$4) near4 (beam bar block platform base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:30
S1	374	73/849.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:54
S2	24	("3898873" "4594900" "4789947" "5345826" "5386442" "5448918" "5699274" "5913246" "6042315" "6053052" "6216531" "6263636").pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 14:05

S3	2414	((saddle seat support bracket) near4 (specimen sample object) near6 (beam bar block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:07
S4	108	((rotat\$4 pivot\$4) near3 (saddle seat support bracket) near4 (specimen sample object) near6 (beam bar block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:19
S5	67	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket) near4 (specimen sample object) near6 (beam bar block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:21
S6	100	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket) near4 (specimen sample object) near6 (beam bar block platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:37
S7	96	73/852.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:54
S8	288	73/856.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:55
S9	55	73/853.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:54
S10	105	73/855.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:55
S11	1942	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket)) and "73"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:39
S12	475	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket)) and "73"/\$6.ccls.) and ((saddle seat clamp\$4 grip\$4 bracket) near6 (beam bar block platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:38
S13	443	((rotat\$4 pivot\$4) near3 (saddle seat clamp\$4 grip\$4 bracket)) and "73"/\$6.ccls.) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 13:52
S14	1054	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 14:07
S15	53	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform)) ) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 13:54

S16	67	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform)) ) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 14:18
S17	0	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform)) ) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 14:03
S18	32	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block platform)) ) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 weigh\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:55
S19	32	"5279006".URPN.	USPAT	OR	ON	2004/09/11 14:10
S20	230	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block base platform))) .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 14:18
S21	11	((rotat\$4 pivot\$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp\$4 hold\$4 grip\$4 support\$4 bracket)) and ((saddle clamp\$4 grip\$4 bracket) near6 (beam bar block base platform))) .clm.) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 12:06
S22	5	("4700077"   "4750141"   "5489854"   "5530374"   "5642056").PN.	USPAT	OR	ON	2004/09/11 14:35
S23	1	"2299722".PN	USPAT	OR	ON	2004/09/11 14:41
S24	3	"2299722".URPN.	USPAT	OR	ON	2004/09/11 14:41
S25	669	l?shaped and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 12:07
S26	20	(l?shaped near2 (frame base support)) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 15:27
S27	5904	((apertures hole orifice) near2 (frame base support)) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 15:29
S28	185	((pair\$4 several many multiple) near3 (apertures hole orifice) near2 (frame base support)) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 15:29
S29	22	((pair\$4 several many multiple) near3 (apertures hole orifice) near2 (frame base support)) and ((monitor\$4 test\$4 measur\$4 detect\$4 determin\$4 sens\$4 estimat\$4) near4 (load\$4 forc\$4 flex\$4 bend\$4 weigh\$3)) and "73"/\$6 ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 15:30